OFFICE FURNITURE

CATALOGUE

HON®

KANCELÁŘSKÝ NÁBYTEK

HOBIS®

DESKS 2
CABINETS 42
KITCHENS 56
CHAIRS 64
ACCESSORIES 80
FILING CABINETS 88

COLOUR SAMPLES

KANCELÁŘSKÝ NÁBYTEK HOBIS

GREY

ACACIA

BEECH

ALDER

SOUR CHERRY

CHERRY

CALVADOS

NUT

DESKS

GATE

Timeless design and user comfort.

Height adjustment

Completely hidden cables

Perfect fitting of ABS edges

Desktops

The desktops of the HOBIS Gate line of desks are shaped to maximize desktop surface area usage, and facilitate the optimal position for your PC monitor. To further enhance comfort, we also offer corner versions with ergonomically shaped desktops that comply with the ČSN EN 527-1 standard.

The desktop is 25mm thick with 2mm ABS edges, which protect the desk against damage. A practical bushing takes care of PC and desk lamp cables, guiding them under the desktop where they are hidden in cleverly constructed trays. So you can be sure that cables will not get tangled and will not bother you during work. The desk structure meets strict quality and ergonomic demands (ČSN EN 527-1) and complies with ČSN EN 527-2, ČSN EN 527-3, ČSN 910001 and ČSN 910100.

Legs

If you prefer privacy you will appreciate the fact that the side and front panels are made from solid boards. These are 18 mm thick with 2mm ABS edges on the outside and inside. The legs are height adjustable, which facilitates the compensation of floor unevenness by up to 1.5 cm. Your desktop will therefore always be perfectly level. The modesty panel connects both legs and provides for desk stability. The modesty panel is made from 18mm thick board.

Assembly

The HOBIS Gate line has 106 parts which you can combine thanks to a simple connection system. So you can compose your desk configuration precisely to your needs and add more components at any time. The connecting system is automatically part of every component. Transport efficiency is provided for right to your office, where parts are delivered safely packaged. A simple user manual is included with every delivery.



height adjustment


hidden cables

EU certificates

5-year warranty

easy installation

KANCELÁŘSKÝ NÁBYTEK

HOBIS

2 Gate
10 Proxy
18 Cross
26 Flex
34 Pedestals
36 Desk accessories
40 Receptions

HOBIS GATE **beech – beech**

HOBIS GATE **cherry – cherry**



Rectification *is intended to compensate for the undulation of floors by up to 1.5 cm*

2 mm ABS edges *protect furniture boards against damage*

HOBIS GATE **nut – nut**

Cable fixings *ensure the practical guiding of cables under top desks*

Connecting systems *allow easy connection of additional tables*

WORKING DESKS

GS 800 **80 × 75.5 × 80**

GS 1200 **120 × 75.5 × 80**

GS 1400 **140 × 75.5 × 80**

GS 1600 **160 × 75.5 × 80**

GS 1800 **180 × 75.5 × 80**

GE 800 **80 × 75.5 × 60**

GE 1200 **120 × 75.5 × 60**

GE 1400 **140 × 75.5 × 60**

GE 1600 **160 × 75.5 × 60**

GS 9 X **85 × 75.5 × 80**

GE 60 L **160 × 75.5 × 120 (60 × 60)**

GE 60 P **160 × 75.5 × 120 (60 × 60)**

GEV 60 L **160 × 75.5 × 120 (60 × 60)**

GEV 60 P **160 × 75.5 × 120 (60 × 60)**

GEV 80 L **160 × 75.5 × 120 (60 × 80)**

GEV 80 P **160 × 75.5 × 120 (80 × 60)**

GE 2005 L **160 × 75.5 × 120 (80 × 60)**

GE 2005 P **160 × 75.5 × 120 (60 × 80)**

An overwiev of furniture colour combinations can be found on the introductory page

WORKING DESKS

GE 1000 L **180 × 75.5 × 100 (80)**

GE 1000 P **180 × 75.5 × 100 (80)**

GE 1800 L **180 × 75.5 × 120 (80 × 40)**

GE 1800 P **180 × 75.5 × 120 (40 × 80)**

GEV 1800 L **180 × 75.5 × 120 (80 × 40)**

GEV 1800 P **180 × 75.5 × 120 (40 × 80)**

GE 1800 H L **180 × 75.5 × 200 (80 × 40)**
GEV 1800 H L **180 × 75.5 × 200 (80 × 40)**

GE 1800 H P **180 × 75.5 × 200 (40 × 80)**
GEV 1800 H P **180 × 75.5 × 200 (40 × 80)**

GE 1800 HR L **180 × 75.5 × 200 (80 × 40)**
GEV 1800 HR L **180 × 75.5 × 200 (80 × 40)**

GE 1800 HR P **180 × 75.5 × 200 (40 × 80)**
GEV 1800 HR P **180 × 75.5 × 200 (40 × 80)**

GE 60 H L **160 × 75.5 × 200 (60 × 60)**

GE 60 H P **160 × 75.5 × 200 (60 × 60)**

GSK 1600 22 **160 × 75.5 × 80**

GSK 1200 22 **120 × 75.5 × 80**
GSK 1400 22 **140 × 75.5 × 80**
GSK 1800 22 **180 × 75.5 × 80**
GEK 1200 22 **120 × 75.5 × 60**
GEK 1400 22 **140 × 75.5 × 60**
GEK 1600 22 **160 × 75.5 × 60**

GSK 1600 23 **160 × 75.5 × 80**

GSK 1200 23 **120 × 75.5 × 80**
GSK 1400 23 **140 × 75.5 × 80**
GSK 1800 23 **180 × 75.5 × 80**
GEK 1200 23 **120 × 75.5 × 60**
GEK 1400 23 **140 × 75.5 × 60**
GEK 1600 23 **160 × 75.5 × 60**

GSK 1600 24 **160 × 75.5 × 80**

GSK 1200 24 **120 × 75.5 × 80**
GSK 1400 24 **140 × 75.5 × 80**
GSK 1800 24 **180 × 75.5 × 80**
GEK 1200 24 **120 × 75.5 × 60**
GEK 1400 24 **140 × 75.5 × 60**
GEK 1600 24 **160 × 75.5 × 60**

GSK 1600 25 **160 × 75.5 × 80**

GSK 1200 25 **120 × 75.5 × 80**
GSK 1400 25 **140 × 75.5 × 80**
GSK 1800 25 **180 × 75.5 × 80**
GEK 1200 25 **120 × 75.5 × 60**
GEK 1400 25 **140 × 75.5 × 60**
GEK 1600 25 **160 × 75.5 × 60**

Dimensions in order: **Width** × **Height** × **Depth (cm)**

WORKING DESKS

GEK 1800 L 22 **180 × 75.5 × 120 (80 × 40)**

GEK 1800 P 22 **180 × 75.5 × 120 (40 × 80)**
GEVK 1800 L 22 **180 × 75.5 × 120 (80 × 40)**
GEVK 1800 P 22 **180 × 75.5 × 120 (40 × 80)**

GEK 1800 L 23 **180 × 75.5 × 120 (80 × 40)**

GEK 1800 P 23 **180 × 75.5 × 120 (40 × 80)**
GEVK 1800 L 23 **180 × 75.5 × 120 (80 × 40)**
GEVK 1800 P 23 **180 × 75.5 × 120 (40 × 80)**

GEK 1800 L 24 **180 × 75.5 × 120 (80 × 40)**

GEK 1800 P 24 **180 × 75.5 × 120 (40 × 80)**
GEVK 1800 L 24 **180 × 75.5 × 120 (80 × 40)**
GEVK 1800 P 24 **180 × 75.5 × 120 (40 × 80)**

GEK 1800 L 25 **180 × 75.5 × 120 (80 × 40)**

GEK 1800 P 25 **180 × 75.5 × 120 (40 × 80)**
GEVK 1800 L 25 **180 × 75.5 × 120 (80 × 40)**
GEVK 1800 P 25 **180 × 75.5 × 120 (40 × 80)**

ADDITIONAL DESKS

GP 1200 1 **120 × 75.5 × 80**

GP 1200 2 **120 × 75.5 × 90**

GP 1600 1 **160 × 75.5 × 80**

GP 1500 2 **150 × 75.5 × 110**

GP 900 L **80 × _ × 80**

GP 900 P **80 × _ × 80**

GP 902 L **80 × 75.5 × 80**

GP 902 P **80 × 75.5 × 80**

GP 800 **80 × _ × 80**

GP 450 **80 × _ × 80**

GP 452 **80 × 75.5 × 80**

GP 20 L **98 × 75.5 × 103**

GP 20 P **98 × 75.5 × 103**

GP 21 L **ø 100 × 75.5 × (60 × 60)**

GP 21 P **ø 100 × 75.5 × (60 × 60)**

An overwiev of furniture colour combinations can be found on the introductory page

ADDITIONAL DESKS

GP 22 L **ø 120 × 75.5 × (80 × 60)**

GP 22 P **ø 120 × 75.5 × (60 × 80)**

GP 160 **160 × 75.5 × 60**

GP 120 **120 × 75.5 × 40**

GP 80 **80 × 75.5 × 40**

GP 60 **60 × 75.5 × 40**

MEETING DESKS

GJ 800 **80 × 75.5 × 80**

GJ 1200 **120 × 75.5 × 80**

GJ 1400 **140 × 75.5 × 80**

GJ 1600 **160 × 75.5 × 80**

GJ 1800 **180 × 75.5 × 80**

GJ 150 **150 × 75.5 × 90**

GJ 200 **200 × 75.5 × 110**

Dimensions in order: **Width** × **Height** × **Depth (cm)**

DESKS

PROXY

Wide variability and attractive design.

Height adjustment

Completely hidden cables

Perfect fitting of ABS edges

Desktops

The desktops of the HOBIS Proxy line of desks are shaped to maximize desktop surface area usage, and facilitate the optimal position for your PC monitor. To further enhance comfort, we also offer corner versions with ergonomically shaped desktops that comply with the ČSN EN 527-1 standard.

The desktop is 25mm thick with 2mm ABS edges, which protect the desk against damage. A practical bushing takes care of PC and desk lamp cables, guiding them under the desktop where they are hidden in cleverly constructed trays. So you can be sure that cables will not get tangled and will not bother you during work. The desk structure meets strict quality and ergonomic demands (ČSN EN 527-1) and complies with ČSN EN 527-2, ČSN EN 527-3, ČSN 910001 and ČSN 910100.

Legs

A combination of metal and laminated chipboard give the HOBIS Proxy line desks an innovative design. An 18mm thick support connecting the legs provides for modesty rigidity stability. The legs are made of 25mm thick wooden desks provided with 2mm ABS edge in combination with metal base. The legs are height adjustable, which facilitates the compensation of floor unevenness by up to 1.5 cm. Your desktop will therefore always be perfectly level. You can choose from two metal colours – black and grey. The laminated chipboard comes in all HOBIS designs.

Assembly

The HOBIS Proxy line has 61 parts which you can combine thanks to a simple connection system. So you can compose your desk configuration precisely to your needs and add more components at any time. The connecting system is automatically part of every component. Transport efficiency is provided for right to your office, where parts are delivered safely packaged. A simple user manual is included with every delivery.



height adjustment

hidden cables

EU certificates

5-year warranty

easy installation

KANCELÁŘSKÝ NÁBYTEK HOBIS®

2 Gate
10 Proxy
18 Cross
26 Flex
34 Pedestals
36 Desk accessories
40 Receptions

HOBIS PROXY **beech – beech**

HOBIS PROXY **acacia – grey**

Rectification *is intended to compensate for the undulation of floors by up to 1.5 cm*

Cable pass-through *discretely takes cables from tables under the desk top*

HOBIS PROXY **alder – alder**

Cable fixings *ensure the practical guiding of cables under top desks*

Design connection of wood and metal *dominates parts of the PROXY family*

WORKING DESKS

PS 800 **80 × 75.5 × 80**

PS 1200 **120 × 75.5 × 80**

PS 1400 **140 × 75.5 × 80**

PS 1600 **160 × 75.5 × 80**

PS 1800 **180 × 75.5 × 80**

PE 800 **80 × 75.5 × 60**

PE 1200 **120 × 75.5 × 60**

PE 1400 **140 × 75.5 × 60**

PE 1600 **160 × 75.5 × 60**

PE 60 L **160 × 75.5 × 120 (60 × 60)**

PE 60 P **160 × 75.5 × 120 (60 × 60)**

PEV 60 L **160 × 75.5 × 120 (60 × 60)**

PEV 60 P **160 × 75.5 × 120 (60 × 60)**

PEV 80 L **160 × 75.5 × 120 (60 × 80)**

PEV 80 P **160 × 75.5 × 120 (80 × 60)**

PE 2005 L **160 × 75.5 × 120 (80 × 60)**

PE 2005 P **160 × 75.5 × 120 (60 × 80)**

An overwiev of furniture colour combinations can be found on the introductory page

WORKING DESKS

PE 1000 L **180 × 75.5 × 100 (80)**

PE 1000 P **180 × 75.5 × 100 (80)**

PE 1800 L **180 × 75.5 × 120 (80 × 40)**

PE 1800 P **180 × 75.5 × 120 (40 × 80)**

PEV 1800 L **180 × 75.5 × 120 (80 × 40)**

PEV 1800 P **180 × 75.5 × 120 (40 × 80)**

PE 1800 H L **180 × 75.5 × 200 (80 × 40)**
PEV 1800 H L **180 × 75.5 × 200 (80 × 40)**

PE 1800 H P **180 × 75.5 × 200 (40 × 80)**
PEV 1800 H P **180 × 75.5 × 200 (40 × 80)**

PE 1800 HR L **180 × 75.5 × 200 (80 × 40)**
PEV 1800 HR L **180 × 75.5 × 200 (80 × 40)**

PE 1800 HR P **180 × 75.5 × 200 (40 × 80)**
PEV 1800 HR P **180 × 75.5 × 200 (40 × 80)**

PE 60 H L **160 × 75.5 × 200 (60 × 60)**

PE 60 H P **160 × 75.5 × 200 (60 × 60)**

Dimensions in order: **Width** × **Height** × **Depth (cm)**

ADDITIONAL DESKS

PP 1200 1 120 × 75.5 × 80

PP 1200 2 120 × 75.5 × 90

PP 1600 1 160 × 75.5 × 80

PP 1500 2 150 × 75.5 × 110

PP 900 L 80 × _ × 80

PP 900 P 80 × _ × 80

PP 902 L 80 × 75.5 × 80

PP 902 P 80 × 75.5 × 80

PP 800 80 × _ × 80

PP 450 80 × _ × 80

PP 452 80 × 75.5 × 80

PP 20 L 98 × 75.5 × 103

PP 20 P 98 × 75.5 × 103

PP 21 L ø 100 × 75.5 × (60 × 60)

PP 21 P ø 100 × 75.5 × (60 × 60)

PP 22 L ø 120 × 75.5 × (80 × 60)

PP 22 P ø 120 × 75.5 × (60 × 80)

PP 160 160 × 75.5 × 60

PP 120 120 × 75.5 × 40

PP 80 80 × 75.5 × 40

PP 60 60 × 75.5 × 40

An overwiev of furniture colour combinations can be found on the introductory page

MEETING DESKS

PJ 800 **80 × 75.5 × 80**

PJ 1200 **120 × 75.5 × 80**

PJ 1400 **140 × 75.5 × 80**

PJ 1600 **160 × 75.5 × 80**

PJ 1800 **180 × 75.5 × 80**

PJ 150 **150 × 75.5 × 90**

PJ 200 **200 × 75.5 × 110**

Colour combinations of grey metal *and wood can be chosen from a wide range*

Colour combinations of black metal *and wood can be chosen from a wide range*

Dimensions in order: **Width** × **Height** × **Depth (cm)**

DESKS

CROSS

High durability and practicality.

Height adjustment

Completely hidden cables

Metal legs in three options

Desktops

The desktops of the HOBIS Cross line of desks are shaped to maximize desktop surface area usage and facilitate the optimal position of your PC monitor. To further enhance comfort, we also offer corner versions with ergonomically shaped desktops that comply with the ČSN EN 527-1 standard.

The desktop is 25mm thick with 2mm ABS edges, which protect the desk against damage. A practical bushing takes care of PC and desk lamp cables, guiding them under the desktop where they are hidden in cleverly constructed trays. So you can be sure that cables will not get tangled and will not bother you during work. The desk structure meets strict quality and ergonomic demands (ČSN EN 527-1) and complies with ČSN EN 527-2, ČSN EN 527-3, ČSN 910001 and ČSN 910100.

Legs

Modern metal legs will attract you with their modern design and functionality. Your PC and other cables will be cleverly managed from the desktop by routing inside the plastic leg cover, in which cables can be routed to floor-level. An 18mm thick support connecting the legs provides for modesty rigidity stability. The legs are height adjustable, which facilitates the compensation of floor unevenness by up to 1.5 cm. Your desktop will therefore always be perfectly level. The legs are connected by an 18mm thick laminated chipboard, which provides for desk stability.

You can choose from three leg designs in two colours – black and grey.

The plastic panel is an anthracite colour.

Assembly

The HOBIS Cross line has 62 parts which you can combine thanks to a simple connection system. So you can compose your desk configuration precisely to your needs and add more components at any time. The connecting system is automatically part of every component. Transport efficiency is provided for right to your office, where parts are delivered safely packaged. A simple user manual is included with every delivery.



height adjustment

hidden cables

EU certificates

5-year warranty

easy installation

KANCELÁŘSKÝ NÁBYTEK HOBIS

2 Gate
10 Proxy
18 Cross
26 Flex
34 Pedestals
36 Desk accessories
40 Receptions

HOBIS CROSS 300 **cherry – cherry**

HOBIS CROSS 100 **acacia – acacia**

***Rectification** is intended to compensate for the undulation of floors by up to 1.5 cm – detail of leg RM 200*

***Board support** allows the connection of an additional table without any metal legs*

HOBIS CROSS 200 **calvados – grey**



Hidden cables *– the detail of simple and original guiding of cables inside the leg*

Cable fixings *ensure the practical guiding of cables under top desks*

WORKING DESKS

CS 800 **80 × 75.5 × 80**

CS 1200 **120 × 75.5 × 80**

CS 1400 **140 × 75.5 × 80**

CS 1600 **160 × 75.5 × 80**

CS 1800 **180 × 75.5 × 80**

CE 800 **80 × 75.5 × 60**

CE 1200 **120 × 75.5 × 60**

CE 1400 **140 × 75.5 × 60**

CE 1600 **160 × 75.5 × 60**

CE 60 L **160 × 75.5 × 120 (60 × 60)**

CE 60 P **160 × 75.5 × 120 (60 × 60)**

CEV 60 L **160 × 75.5 × 120 (60 × 60)**

CEV 60 P **160 × 75.5 × 120 (60 × 60)**

CEV 80 L **160 × 75.5 × 120 (60 × 80)**

CEV 80 P **160 × 75.5 × 120 (80 × 60)**

CE 2005 L **160 × 75.5 × 120 (80 × 60)**

CE 2005 P **160 × 75.5 × 120 (60 × 80)**

An overwiev of furniture colour combinations can be found on the introductory page

WORKING DESKS

CE 1000 L **180 × 75.5 × 100 (80)**

CE 1000 P **180 × 75.5 × 100 (80)**

CE 1800 L **180 × 75.5 × 120 (80 × 40)**

CE 1800 P **180 × 75.5 × 120 (40 × 80)**

CEV 1800 L **180 × 75.5 × 120 (80 × 40)**

CEV 1800 P **180 × 75.5 × 120 (40 × 80)**

CE 1800 H L **180 × 75.5 × 200 (80 × 40)**
CEV 1800 H L **180 × 75.5 × 200 (80 × 40)**

CE 1800 H P **180 × 75.5 × 200 (40 × 80)**
CEV 1800 H P **180 × 75.5 × 200 (40 × 80)**

CE 1800 HR L **180 × 75.5 × 200 (80 × 40)**
CEV 1800 HR L **180 × 75.5 × 200 (80 × 40)**

CE 1800 HR P **180 × 75.5 × 200 (40 × 80)**
CEV 1800 HR P **180 × 75.5 × 200 (40 × 80)**

CE 60 H L **160 × 75.5 × 200 (60 × 60)**

CE 60 H P **160 × 75.5 × 200 (60 × 60)**

Dimensions in order: **Width** × **Height** × **Depth (cm)**

ADDITIONAL DESKS

CP 1200 1 **120 × 75.5 × 80**

CP 1200 2 **120 × 75.5 × 90**

CP 1600 1 **160 × 75.5 × 80**

CP 1500 2 **150 × 75.5 × 110**

CP 900 L **80 × _ × 80**

CP 900 P **80 × _ × 80**

CP 901 L **80 × 75.5 × 80**

CP 901 P **80 × 75.5 × 80**

CP 800 **80 × _ × 80**

CP 801 **80 × 75.5 × 80**

CP 450 **80 × _ × 80**

CP 451 **80 × 75.5 × 80**

CP 20 L **98 × 75.5 × 103**

CP 20 P **98 × 75.5 × 103**

CP 21 L **ø 100 × 75.5 × (60 × 60)**

CP 21 P **ø 100 × 75.5 × (60 × 60)**

CP 22 L **ø 120 × 75.5 × (80 × 60)**

CP 22 P **ø 120 × 75.5 × (60 × 80)**

An overwiev of furniture colour combinations can be found on the introductory page

ADDITIONAL DESKS

CP 160 **160 × 75.5 × 60**

CP 120 **120 × 75.5 × 40**

CP 80 **80 × 75.5 × 40**

CP 60 **60 × 75.5 × 40**

MEETING DESKS

CJ 800 **80 × 75.5 × 80**

CJ 1200 **120 × 75.5 × 80**

CJ 1400 **140 × 75.5 × 80**

CJ 1600 **160 × 75.5 × 80**

CJ 1800 **180 × 75.5 × 80**

CJ 150 **150 × 75.5 × 90**

CJ 200 **200 × 75.5 × 110**

RM 100 RM 200 RM 300

The CROSS series has the three following items: RM 100, RM 200, RM 300

Dimensions in order: **Width** × **Height** × **Depth (cm)**

DESKS

FLEX

Elegant design and original technical solution.

Height adjustment

Metal legs in three options

Efficient system of chaining

Desktops

The desktops of the HOBIS Flex line of desks are shaped to maximize desktop surface area usage and facilitate the optimal position for your PC monitor. To further enhance comfort, we also offer corner versions with ergonomically shaped desktops that comply with the ČSN EN 527-1 standard.

The desktop is 25mm thick with 2mm ABS edges, which protect the desk against damage. A practical bushing takes care of PC and desk lamp cables, guiding them under the desktop where they are hidden in cleverly constructed trays. So you can be sure that cables will not get tangled and will not bother you during work. The desk structure meets strict quality and ergonomic demands (ČSN EN 527-1) and complies with ČSN EN 527-2, ČSN EN 527-3, ČSN 910001 and ČSN 910100.

Legs

Modern metal legs will attract you with their modern design and functionality. They are connected by a telescopic cable tray which provides for perfect desk stability, even without the desktop. Besides that, the tray is also used to elegantly manage all your PC cables which are routed inside the plastic leg cover down to the floor. This meets the current trend of completely concealed cables.

With Hobis Flex desk line you can use the advantage of chaining the tables together when in need of linking them.

The legs are height adjustable which facilitates the compensation of floor unevenness by up to 1.5 cm. Your desktop will therefore always be perfectly level. You can choose from three leg designs in two colours – black and grey. The plastic panel is an anthracite colour.

Assembly

The HOBIS Flex line has 76 parts which you can combine thanks to a simple connection system. So you can compose your desk configuration precisely to your needs and add more components at any time. The connecting system is automatically part of every component. Transport efficiency is provided for right to your office where parts are delivered safely packaged. A simple user manual is included with every delivery.



height adjustment

hidden cables

EU certificates

5-year warranty

easy installation

system of chaining

KANCELÁŘSKÝ NÁBYTEK HOBIS

2 Gate
10 Proxy
18 Cross
26 Flex
34 Pedestals
36 Desk accessories
40 Receptions

HOBIS FLEX 300 **calvados – calvados**

HOBIS FLEX 200 **nut – nut**

***Rectification** is intended to compensate for the undulation of floors by up to 1.5 cm – detail of leg RM 300*

***Cable channels** provide space for cable passing and wiring*

HOBIS FLEX 100 **acacia – acacia**

Desks chaining *allows the saving of metal legs in the system*

Continuous cable passing *when chaining desks*

WORKING DESKS

FS 800 **80 × 75.5 × 80**

FS 800 R **80 × 75.5 × 80**

FS 1200 **120 × 75.5 × 80**

FS 1200 R **120 × 75.5 × 80**

FS 1400 **140 × 75.5 × 80**

FS 1400 R **140 × 75.5 × 80**

FS 1600 **160 × 75.5 × 80**

FS 1600 R **160 × 75.5 × 80**

FS 1800 **180 × 75.5 × 80**

FS 1800 R **180 × 75.5 × 80**

FE 800 **80 × 75.5 × 60**

FE 800 R **80 × 75.5 × 60**

FE 1200 **120 × 75.5 × 60**

FE 1200 R **120 × 75.5 × 60**

FE 1400 **140 × 75.5 × 60**

FE 1400 R **140 × 75.5 × 60**

FE 1600 **160 × 75.5 × 60**

FE 1600 R **160 × 75.5 × 60**

An overwiev of furniture colour combinations can be found on the introductory page

WORKING DESKS

FE 60 L **160 × 75.5 × 120 (60 × 60)**

FE 60 P **160 × 75.5 × 120 (60 × 60)**

FEV 60 L **160 × 75.5 × 120 (60 × 60)**

FEV 60 P **160 × 75.5 × 120 (60 × 60)**

FEV 80 L **160 × 75.5 × 120 (60 × 80)**

FEV 80 P **160 × 75.5 × 120 (80 × 60)**

FE 2005 L **160 × 75.5 × 120 (80 × 60)**

FE 2005 P **160 × 75.5 × 120 (60 × 80)**

FE 1000 L **180 × 75.5 × 100 (80)**

FE 1000 P **180 × 75.5 × 100 (80)**

FE 1800 L **180 × 75.5 × 120 (80 × 40)**

FE 1800 P **180 × 75.5 × 120 (40 × 80)**

FEV 1800 L **180 × 75.5 × 120 (80 × 40)**

FEV 1800 P **180 × 75.5 × 120 (40 × 80)**

FE 1800 H L **180 × 75.5 × 200 (80 × 40)**
FEV 1800 H L **180 × 75.5 × 200 (80 × 40)**

FE 1800 H P **180 × 75.5 × 200 (40 × 80)**
FEV 1800 H P **180 × 75.5 × 200 (40 × 80)**

Dimensions in order: **Width** × **Height** × **Depth (cm)**

WORKING DESKS

FE 1800 HR L 180 × 75.5 × 200 (80 × 40)
FEV 1800 HR L 180 × 75.5 × 200 (80 × 40)

FE 1800 HR P 180 × 75.5 × 200 (40 × 80)
FEV 1800 HR P 180 × 75.5 × 200 (40 × 80)

FE 60 H L 160 × 75.5 × 200 (60 × 60)

FE 60 H P 160 × 75.5 × 200 (60 × 60)

ADDITIONAL DESKS

FP 1200 1
120 × 75.5 × 80

FP 1200 2
120 × 75.5 × 90

FP 1600 1
160 × 75.5 × 80

FP 1500 2
150 × 75.5 × 110

FP 900 L
80 × _ × 80

FP 900 P
80 × _ × 80

FP 901 L
80 × 75.5 × 80

FP 901 P
80 × 75.5 × 80

FP 800
80 × _ × 80

FP 801
80 × 75.5 × 80

FP 450
80 × _ × 80

FP 451
80 × 75.5 × 80

FP 20 L
98 × 75.5 × 103

FP 20 P
98 × 75.5 × 103

FP 21 L
ø 100 × 75.5 × (60 × 60)

FP 21 P
ø 100 × 75.5 × (60 × 60)

FP 22 L
ø 120 × 75.5 × (80 × 60)

FP 22 P
ø 120 × 75.5 × (60 × 80)

FP 160 160 × 75.5 × 60

FP 120 120 × 75.5 × 40

FP 80 80 × 75.5 × 40

FP 60 60 × 75.5 × 40

An overwiev of furniture colour combinations can be found on the introductory page

MEETING DESKS

FJ 800 **80 × 75.5 × 80**

FJ 800 R **80 × 75.5 × 80**

FJ 1200 **120 × 75.5 × 80**

FJ 1200 R **120 × 75.5 × 80**

FJ 1400 **140 × 75.5 × 80**

FJ 1400 R **140 × 75.5 × 80**

FJ 1600 **160 × 75.5 × 80**

FJ 1600 R **160 × 75.5 × 80**

FJ 1800 **180 × 75.5 × 80**

FJ 1800 R **180 × 75.5 × 80**

FJ 150 **150 × 75.5 × 90**

FJ 200 **200 × 75.5 × 110**

COVER SHEETS AND BOARDS

COVER SHEETS

for FLEX tables

FKP 800 **56 × 35**
FKP 1200 **96 × 35**
FKP 1400 **116 × 35**
FKP 1600 **136 × 35**
FKP 1800 **156 × 35**

COVER BOARDS

for FLEX tables

FKD 800 **56 × 35**
FKD 1200 **96 × 35**
FKD 1400 **116 × 35**
FKD 1600 **136 × 35**
FKD 1800 **156 × 35**

RM 100 **RM 200** **RM 300**

The FLEX series has the three following items: RM 100, RM 200, RM 300

Dimensions in order: **Width** × **Height** × **Depth (cm)**

DESKS

PEDESTALS

Everything well arranged.

Central locking

STOP-CONTROL system

Perfect fitting of ABS edges

Body

The base material of the body is high-quality 18mm thick chipboard. To ensure high durability, the top part of the body is made from 25mm thick board. 2mm thick ABS edges provide high resistance to damage for the top and side parts of the body.
As we are fully aware of the need for the security of pedestal contents, we have fitted most of them with a central locking system. Just lock one drawer and all the other drawers will be locked simultaneously. Placing the pedestal on a base will adjust its height to fit the table height, which also increases the working surface area of the desk configuration.

Drawers

Drawers are made from plastic, which is easily washable and suitable for easy maintenance. The drawer front panels are made from high-quality 18mm thick chipboard finished with resistant 2mm ABS edges, which guarantee sufficient protection against mechanical and dynamic damage. The top drawer is equipped with an organizer and dividing panels. Your pens, paper clips and other stationery will always be neat and tidy. These practical accessories can be purchased additionally.

Thanks to the integrated STOP-CONTROL system in the sliding mechanism, you don't have to worry about the toppling over of the pedestal or the crushing of your hands. The system ensures that when one drawer is open, all other drawers are automatically blocked in place.

Caution! The HK 23 economical model is not fitted with the STOP-CONTROL system or a lock.

KANCELÁŘSKÝ NÁBYTEK HOBIS

central locking | STOP-CONTROL | EU cetrificates | 5-year warranty | easy installation

K 22 ZSC 40 × 60 × 60
Lower drawer for suspension files

K 22 ZSC 80 40 × 60 × 80
Top depth up to 80 cm

K 23 40 × 60 × 60
Top depth up to 60 cm

K 23 80 40 × 60 × 80
Top depth up to 80 cm

K 24 C 40 × 60 × 60
Top depth up to 60 cm

K 24 C 80 40 × 60 × 80
Top depth up to 80 cm

An overwiev of furniture colour combinations can be found on the introductory page

2 Gate
10 Proxy
18 Cross
26 Flex
34 Pedestals
36 Desk accessories
40 Receptions

Removable structures *store suspension files in containers*

2 mm ABS edge *protects the pedestal against damage*

Space dividing panels *come as standard with every pedestal*

K 25 C **40 × 75.5 × 60**
Desk-high pedestal

K 25 C 80 **40 × 75.5 × 80**
Top plate 80cm in depth

SK 20 **39 × 20 × 52.5**
Base for pedestal-desk height



THBN
Pencil drawer for all pedestal types



DPN
Drawer dividing organizers

UCO

USN USH
Handles have 3 options

Dimensions in order: **Width** × **Height** × **Depth (cm)**

DESKS

ACCESORIES

Details matter.

Practical and elegant

For all desk lines

Special design of details

All desk lines are available with a wide range of accessories, which will help you enhance the character of your workstation according to your needs and imagination. Screens help to discretely separate workstations, desktop organizers provide welcome storage space on the desktop, and cabinets provide not only storage space but also add storage surface areas for the desk configuration. All accessories include connecting systems which provide for their secure connection in the right place.

EU certificates | 5-year warranty | easy installation

***Mobile tables** are equipped with wheels with brakes*

***Pull-out cabinets** provide sufficient and easily accessible space for storage*

***Screen fixing** to the edge of table desks*

***Screen fixing** between two tables*

KANCELÁŘSKÝ NÁBYTEK HOBIS

2 Gate
10 Proxy
18 Cross
26 Flex
34 Pedestals
36 Desk accessories
40 Receptions

SP 40 40 **40 × 75.5 × 40**
Desk-high cabinet

SP 80 40 **80 × 75.5 × 40**
Desk-high cabinet

SPR 80 40 L **80 × 75.5 × 40**
Desk-high cabinet

SPR 80 40 P **80 × 75.5 × 40**
Desk-high cabinet

SP 80 60 **80 × 75.5 × 60**
Desk-high cabinet

SPR 80 60 L **80 × 75.5 × 60**
Desk-high cabinet

SPR 80 60 P **80 × 75.5 × 60**
Desk-high cabinet

SPK 80 60 L **80 × 75.5 × 60**
Desk-high cabinet

SPK 80 60 P **80 × 75.5 × 60**
Desk-high cabinet

SPR U **80 × 75.5 × 40**
Desk-high cabinet

SPV 3 L **40 × 117.7 × 80**

SPV 3 P **40 × 117.7 × 80**

KS 1200 C **120 × 55 × 60**
Conference table

KS 1200 R **120 × 55 × 60**
Conference table

KS 800 **80 × 55 × 60**
Conference table

MS 900 550 **ø 90 × 55**
MS 900 755 **ø 90 × 75.5**
MS 900 790 **ø 90 × 79**
Conference table-mobile

JS 2400 C **240 × 75.5 × 90**
2×half-ellipse 120 × 90

JS 3000 C **300 × 75.5 × 110**
2×half-ellipse 150 × 110

JS 2600 C **260 × 75.5 × 130**

JS 2600 SC **260 × 75.5 × 130**

JD 150 **150 × 90**
Desk-barrel 150

JD 200 **200 × 110**
Desk-barrel 200

JD 60 **ø 60**
Round desk

JD 90 **ø 90**
Round desk

SPD **3.5 × 3.5 × 2.5**
Plastic tringular connector

An overwiev of furniture colour combinations can be found on the introductory page

CNK 525 450
ø 45 × 52.5
Central leg

CNK 670 450
ø 45 × 67
Central leg

CNK 730 250
ø 25 × 73
Central leg

CNK 730 450
ø 45 × 73
Central leg

CNK 730 600
ø 60 × 73
Central leg

CNO 730 700
70 × 73
Central leg

RK 14
ø 6 × 72–74.5
Tubular leg

RH 15
6 × 6 × 72–74.5
Square leg

DESKTOP DIVIDERS

Clamping between two desks

PA 800 S **75 × 40**
PA 1200 S **115 × 40**
PA 1400 S **135 × 40**
PA 1600 S **155 × 40**
PA 1800 S **175 × 40**

DESKTOP DIVIDERS

Clamping on the desk edge

PA 800 H **75 × 40**
PA 1200 H **115 × 40**
PA 1400 H **135 × 40**
PA 1600 H **155 × 40**
PA 1800 H **175 × 40**

DESKTOP DIVIDERS

Clamping between two desks

PAH 800 S **75 × 40**
PAH 1200 S **115 × 40**
PAH 1400 S **135 × 40**
PAH 1600 S **155 × 40**
PAH 1800 S **175 × 40**

DESKTOP DIVIDERS

Clamping on the desk edge

PAH 800 H **75 × 40**
PAH 1200 H **115 × 40**
PAH 1400 H **135 × 40**
PAH 1600 H **155 × 40**
PAH 1800 H **175 × 40**

DESKTOP ORGANIZERS

NA 800 **80 × 30 × 24**
NA 1200 **120 × 30 × 24**
NA 1400 **140 × 30 × 24**
NA 1600 **160 × 30 × 24**
NA 1800 **180 × 30 × 24**

VHS D **70 × 40**
Melamine keyboard drawer

VHS **56 × 8 × 33**
Plastic keyboard drawer

Only for desks 80 cm in depth

NA REC 1000
130 (100) × 69 × 30
NA REC 1200
150 (120) × 69 × 30
Reception extension-MFC

Only for desks 80 cm in depth

NA REC 1000 AL
130 (100) × 69 × 30
NA REC 1200 AL
150 (120) × 69 × 30
Reception extension-diffusing glass

PC MOBIL
26 × 33 × 36

PC HOLDER
width 120–275 mm,
height 370–575 mm



SPP **14 × 0.2 × 5.5**
Desktop connector

PSP **6 × 2 × 5**
Connecting item Proxy

PSK 600 **3.3 × 5 × 46**
Connecting item Proxy

PSK 800 **3.3 × 5 × 60**
Connecting item Proxy

CSP **5 × 2 × 5**
Connecting item Cross, Flex

CSK 600 **2.6 × 5 × 46**
Connecting item Cross, Flex

CSK 800 **2.6 × 5 × 60**
Connecting item Cross, Flex

Dimensions in order: **Width** × **Height** × **Depth (cm)**

DESKS

RECEPTIONS

Quick solution

High variability

Representative design

Welcome your clients
in style with your elegant reception.

Reception modules

HOBIS Receptions offer a quick and elegant solution to the entrance area of your company.

Reception modules in 80, 120, 140, 160 cm widths, together with a 90° arced part, enable the configuration of various size receptions according to customer requirements. The base material for the desktop is high-quality 25mm thick laminated chipboard, bodies are made from 18 mm thick material. 2mm ABS edges provide protection against damage to body edges.
To prevent the premature wear of the bottom section of receptions, we have fitted all models with stainless steel impact plates.

KANCELÁŘSKÝ NÁBYTEK HOBIS



height adjustment


hidden cables

EU certificates

5-year warranty

easy installation

RCP 90 L
128 (128) × 75.5 (110) × 80 (120)
Quarter-round table, leftmost

RCP 90 S
128 (128) × 75.5 (110) × 80 (120)
Quarter-round table, central

RCP 90 P
128 (128) × 75.5 (110) × 80 (120)
Quarter-round table, rightmost

RCP 800 L
80 × 75.5 (110) × 80 (90)
Upright, outer table-left

RCP 800 S
80 × 75.5 (110) × 80 (90)
Upright, centered table

RCP 800 P
80 × 75.5 (110) × 80 (90)
Upright, outer table-right

RCP 1200 L
120 × 75.5 (110) × 80 (90)
Upright, outer table-left

RCP 1200 S
120 × 75.5 (110) × 80 (90)
Upright, centered table

RCP 1200 P
120 × 75.5 (110) × 80 (90)
Upright, outer table-right

An overwiev of furniture colour combinations can be found on the introductory page

2 Gate
10 Proxy
18 Cross
26 Flex
34 Pedestals
36 Desk accessories
40 Receptions

RCP 1400 L
140 × **75.5 (110)** × **80 (90)**
Upright, outer table-left

RCP 1400 S
140 × **75.5 (110)** × **80 (90)**
Upright, centered table

RCP 1400 P
140 × **75.5 (110)** × **80 (90)**
Upright, outer table-right

RCP 1600 L
160 × **75.5 (110)** × **80 (90)**
Upright, outer table-left

RCP 1600 S
160 × **75.5 (110)** × **80 (90)**
Upright, centered table

RCP 1600 P
160 × **75.5 (110)** × **80 (90)**
Upright, outer table-right

Dimensions in order: **Width** × **Height** × **Depth (cm)**

Emphasis on functionality and price.

CABINETS DRIVE

Solid shelves

Competitive price

Same-coloured backs

Drive cabinets

HOBIS Drive cabinets are designed primarily with quality, storage space variability and purchase costs in mind.

The material used for cabinet manufacture originates exclusively from the European Union, which guarantees its first-class quality.

Body

Our range includes cabinet modules which are 185 cm, 111 cm or 74 cm high, and 80 cm or 40 cm wide. The depth of all Drive line modules is 40 cm (42cm including doors). The rear panels made from 3mm thick HDF boards are aesthetically visible from both sides, so the cabinets can also be used as dividing parts.

Shelves

The 18mm thick adjustable shelves enable you to divide up the cabinet space as needed. The standard height of the storage spaces is adapted to the height of a standard lever-arch file. As the safety of our furniture is of prime importance to us, we have secured all shelves against accidental extraction.

Doors

Doors are protected with 2mm ABS edges and fitted with high-quality fixtures with a lifetime warranty provided by the respective manufacturer. Besides solid and glazed doors, we also offer cabinets with a roller system.
Highly resistant materials and first-class quality fixtures originating exclusively from the European Union, sophisticated design, and accurate manufacture all guarantee that HOBIS Drive cabinets meet the strictest quality standards.

If you choose to place the cabinets on the floor, don't forget to order height-adjustable legs (which are not a standard part of the order). You can choose from 3 and 5 cm high legs.

Assembly

A wide range of 45 parts offers many configurations for you to compose your storage spaces according to your needs and requirements. In order for the delivery to reach your office safely, we provide desks disassembled in separate, well-packaged parcels. A simple user manual is included with every delivery.

EU certificates

5-year warranty

easy installation

KANCELÁŘSKÝ NÁBYTEK HOBIS

42 Drive
48 Strong

HOBIS DRIVE **alder – alder**

HOBIS DRIVE **beech – beech**

Rectification *– using the supplied Allen wrench any undulation of floors can be solved easily*

Firmly fixed shelves *improve safety and stability*

HOBIS DRIVE **cherry – cherry**

Fair-face back *allows the use of the cabinets place as dividing walls*

Roller cabinets *solve a lack of space when opening doors*

DRIVE

D 5 80 80 × 185 × 40

D 5 80 00 80 × 185 × 42

D 5 80 01 80 × 185 × 42

D 5 80 03 80 × 185 × 42

D 5 80 04 80 × 185 × 42

D 5 80 05 80 × 185 × 42

D 5 80 06 80 × 185 × 42

D 5 80 07 80 × 185 × 42

D 5 80 08 80 × 185 × 42

D 5 80 09 80 × 185 × 42

D 3 80 80 × 111 × 40

D 3 80 01 80 × 111 × 42

D 3 80 02 80 × 111 × 42

D 3 80 04 80 × 111 × 42

D 3 80 05 80 × 111 × 42

D 3 40 40 × 111 × 40

D 3 40 01 40 × 111 × 42

D 3 40 02 40 × 111 × 42

D 3 80 07 L 80 × 111 × 40

D 3 80 07 P 80 × 111 × 40

An overwiev of furniture colour combinations can be found on the introductory page

DRV 3 **80 × 111 × 40**

DR 3 L **40 × 111 × 40**

DR 3 P **40 × 111 × 40**

D 2 80 **80 × 74 × 40**

D 2 80 01 **80 × 74 × 42**

D 2 80 03 L **80 × 74 × 40**

D 2 80 03 P **80 × 74 × 40**

D 2 80 02 **80 × 74 × 42**

D 2 40 **40 × 74 × 40**

D 2 40 01 **40 × 74 × 42**

D 2 40 02 **40 × 74 × 42**

DRV 2 **80 × 74 × 40**

DR 2 L **40 × 74 × 40**

DR 2 P **40 × 74 × 40**

DVNT 2 **76 × 70 × 38.5**
For cabinets D 2 80 XX except roller doors

DVNT 3 **76 × 107 × 38.5**
For cabinets D 3 80 XX except roller doors

DVNT **76 × 33 × 31**
For cabinets 80 cm wide, except roller doors

P 40 D
36 × 1.8 × 38

P 40 P D
36 × 1.8 × 38

P 80 D
76 × 1.8 × 38

P 80 P D
76 × 1.8 × 38

R 400 800 30
ø 4.7 × (2.7–4.7)

R 400 800 50
ø 4.7 × (4.5–6.3)

R 400 A 30
ø 4.7 × (2.7–4.7)

R 400 A 50
ø 4.7 × (4.5–6.3)

***Metal handles** have three options – USN, UCO and USH*

Dimensions in order: **Width** × **Height** × **Depth (cm)**

High shelf load capacity and design strength.

CABINETS STRONG

Body

Our range includes cabinet bodies which are 76.8, 115.2 or 192 cm high, 40 or 80 cm wide, and 40 cm deep. The main feature of Hobis Strong cabinets is a solid and robust body structure that meets ČSN EN 14073-2, ČSN EN 14073-3, ČSN EN 14749, ČSN 910001 and ČSN 910100 standards. For production we have used high-quality laminated chipboard in eight colour options. The top and bottom boards are 25 mm thick and fitted with 2 mm ABS edges at the front, which prevents mechanical damage. Other visible body edges are protected with 1 mm thick ABS edges. The body sides are made from 18 mm thick boards and the rear board is 8 mm. These are aesthetically visible from both sides, so the cabinets can also be used as dividing parts. Highly resistant materials and first-class quality fixtures originating exclusively from the European Union, sophisticated design, and accurate manufacture all guarantee the absolute strength of Strong cabinets.

KANCELÁŘSKÝ NÁBYTEK HOBIS

Shelves

Unsurpassed load capacity and variability – these are the main features of HOBIS Strong cabinet shelves. The shelves are 25 mm thick, which provides a load capacity of 80 kg; certified by the State Testing Laboratory of the Czech Republic according to ČSN EN 1427 and ČSN 910001 standards.
The standard height of the storage spaces is adapted to the height of a standard lever-arch file. The position of shelves can be modified very easily, so you can adapt the storage space as you need. As the safety of our furniture is of prime importance to us, and we require that it meets the strictest industry standards, we have secured all shelves against accidental extraction. Cabinet shelf edges are also finished with 2mm ABS edges, which guarantee sufficient protection against damage.

Doors

Thanks to the flush mounting of doors between the top and bottom panels of the body, they have a visually attractive design. You can choose from solid or glazed doors for Strong line cabinets. Solid doors are finished with 2mm ABS edges preventing any damage. If you opt for glazed doors, you can select between transparent or opaque. Are you looking for an even more original solution? Then you can't go wrong with opaque glass fitted in highly effective aluminium frames. All doors are fitted with first-class Blum fixtures and hinges with a lifetime warranty. Dampers and damping pads provide for silent and stepless closing.

Our range also includes roller door cabinets where you will appreciate the designer appearance and reliable opening mechanism.

Cabinets can be placed on a 5 cm high base, height-adjustable legs (3 or 5 cm), or 5 cm high designer metal legs. The base and legs are not included in the delivery and must be ordered separately.
In order for the delivery to reach your office safely, we provide desks disassembled in separate, well-packaged parcels. A simple user manual facilitating quick assembly is included with every delivery.

Door anti-bouncers

High rigidity of structures

Special 80 kg load capacity of shelves

EU certificates

5-year warranty

easy installation

shelf load capacity 80 kg

42 Drive
48 Strong

HOBIS STRONG **calvados – calvados**

HOBIS STRONG **sour cherry – sour cherry**

Rectification *– using the supplied Allen wrench any undulation of floors can be solved easily*

Shelves *of thickness 25mm and very reliable mounting system allow for perfect rigidity and stability of the whole cabinet*

HOBIS STRONG **acacia – grey**

Door anti-bouncers *allow the quiet and slow closing of doors*

Special 80 kg load capacity of shelves *is confirmed by a certificate from the state laboratory*

STRONG

S 5 80 **80 × 192 × 40**

S 5 80 00 **80 × 192 × 40**

S 5 80 01 **80 × 192 × 40**

S 5 80 61 **80 × 192 × 60**

S 5 80 03 **80 × 192 × 40**

S 5 80 04 **80 × 192 × 40**

S 5 80 05 **80 × 192 × 40**

S 5 80 06 **80 × 192 × 40**

S 5 80 07 **80 × 192 × 40**

S 5 80 08 **80 × 192 × 40**

S 5 80 09 **80 × 192 × 40**

S 5 80 10 **80 × 192 × 40**

S 5 80 11 **80 × 192 × 40**

S 5 80 12 **80 × 192 × 40**

SR 5 **40 × 192 × 40**

SRV 5 **80 × 192 × 40**

SRV 5 01 L **80 × 192 × 40**

SRV 5 01 P **80 × 192 × 40**

S 3 80 **80 × 115.2 × 40**

S 3 80 01 **80 × 115.2 × 40**

S 3 80 02 **80 × 115.2 × 40**

S 3 80 03 **80 × 115.2 × 40**

S 3 80 04 **80 × 115.2 × 40**

S 3 80 05 **80 × 115.2 × 40**

An overwiev of furniture colour combinations can be found on the introductory page

S 3 80 07 L
80 × 115.2 × 40

S 3 80 07 P
80 × 115.2 × 40

S 3 80 08
80 × 115.2 × 40

S 3 80 09
80 × 115.2 × 40

S 3 40
40 × 115.2 × 40

S 3 40 01 L
40 × 115.2 × 40

S 3 40 01 P
40 × 115.2 × 40

S 3 40 02 L
40 × 115.2 × 40

S 3 40 02 P
40 × 115.2 × 40

S 3 40 03 L
40 × 115.2 × 40

S 3 40 03 P
40 × 115.2 × 40

SR 3
40 × 115.2 × 40

SRV 3 80 × 115.2 × 40

SRV 3 01 L 80 × 115.2 × 40

SRV 3 01 P 80 × 115.2 × 40

S 2 80
80 × 76.8 × 40

S 2 80 01
80 × 76.8 × 40

S 2 80 02
80 × 76.8 × 40

S 2 80 03 L
80 × 76.8 × 40

S 2 80 03 P
80 × 76.8 × 40

S 2 80 04
80 × 76.8 × 40

S 2 40
40 × 76.8 × 40

S 2 40 01 L
40 × 76.8 × 40

S 2 40 01 P
40 × 76.8 × 40

S 2 40 02 L
40 × 76.8 × 40

S 2 40 02 P
40 × 76.8 × 40

S 2 40 03 L
40 × 76.8 × 40

S 2 40 03 P
40 × 76.8 × 40

SR 2
40 × 76.8 × 40

SRV 2 80 × 76.8 × 40

SRV 2 01 L 80 × 76.8 × 40

SRV 2 01 P 80 × 76.8 × 40

Dimensions in order: **Width** × **Height** × **Depth (cm)**

STRONG

S 400 **40 × 5 × 36**
Base for cabinets 40cm

S 400 A **37 × 5 × 37**
Base for cabinets SR 2, SR 3, SR 5

S 550 **58.5 × 5 × 51**
Base for cabinets SRV 2, SRV 3, SRV 5

S 800 **80 × 5 × 36**
Base for cabinets 80 cm

S 800 60 **80 × 5 × 56**
Base for cabinets S 5 80 61

R 400 A 30
ø 4.7 × (2.7–4.7)
Height-adjustable glides

R 400 A 50
ø 4.7 × (4.5–6.3)
Height-adjustable glides

R 400 800 30
ø 4.7 × (2.7–4.7)
Height-adjustable glides

R 400 800 50
ø 4.7 × (4.5–6.3)
Height-adjustable glides

NH 400 A 50
6 × (5–6.5) × 6
Height-adjustable glides

NH 400 800 50
6 × (5–6.5) × 6
Height-adjustable glides

DSH 2 1 L **39.6 × 71.4 × 2.1**
Aluminium frame doors with milky-white glass

DSH 2 1 P **39.6 × 71.4 × 2.1**
Aluminium frame doors with milky-white glass



DSH 3 1 L **39.6 × 109.8 × 2.1**
Aluminium frame doors with milky-white glass

DSH 3 1 P **39.6 × 109.8 × 2.1**
Aluminium frame doors with milky-white glass

DSL 2 1 L **39.6 × 71.4 × 0.6**
Milky-white glass

DSL 2 1 P **39.6 × 71.4 × 0.6**
Milky-white glass

DSL 3 1 L **39.6 × 109.8 × 0.6**
Milky-white glass

DSL 3 1 P **39.6 × 109.8 × 0.6**
Milky-white glass

An overwiev of furniture colour combinations can be found on the introductory page

SR 7 **140 × 55 × 36**
Wall cabinet

SVS 5 40 **18 × 149 × 36**
For cabinet S 5 80 01

SVS 5 60 **39.2 × 149 × 56**
For cabinet S 5 80 01

SVNT **76.2 × 33 × 29**
For all cabinets-except roller doors

SVNT 2 **76.2 × 71.8 × 36**
For all cabinets S 2 80 XX
except roller doors

SVNT 3 **76.2 × 110.2 × 36**
For all cabinets S 3 80 XX
except roller doors

PS 40 **36.2 × 2.5 × 36**
Shelf

PS 80 **76.2 × 2.5 × 36**
Shelf

PS 80 RC **67 × 2.5 × 34**
Shelf

PS 80 60 **76.2 × 2.5 × 56**
Shelf

HPS **80 × 1.8 × 22.5**
Wall shelf

HPS 80 **80 × 30 × 30**
Wall shelf

HPS 120 **120 × 30 × 30**
Wall shelf

OS 40 **40 × 185 × 12**

OSZ 40 **40 × 185 × 12**

OS 50 **50 × 187 × 30**

OSZ 50 **50 × 187 × 30**

***Metal handles** have three options*
– USN, UCO and USH



KSS
Anchoring kits

H V
Large hook

H M
Small hook

Dimensions in order: **Width** × **Height** × **Depth (cm)**

Pleasant environment to relax and refresh.

KITCHENS

Bottom cabinets

Our line of bottom cabinets has a uniform height of 85 cm (including desktop), and you can choose between 30 and 60 cm wide modules. The base material of the body is high-quality 18mm thick laminated chipboard, the rear is made from 3mm thick white sololite. The 28mm thick desktop guarantees high durability.
The great advantage of the HOBIS Kitchen line is it variability. Depending on your available space, you can configure your entire kitchen from our range. For example, you can choose from a cabinet with integrated refrigerator, a cabinet under the sink, or cabinets with one to five drawers. The corner cabinet will fit corner configurations. You can conceal kitchen legs with a dedicated base.

KANCELÁŘSKÝ NÁBYTEK HOBIS

Top cabinets

The range of top kitchen cabinets is available in two body widths – 30 and 60 cm modules, both 60 cm high. The range also includes a cabinet for kitchen hoods, which is the only cabinet with a height of 37 cm, or a top corner cabinet. The base material of the body is high-quality 18mm thick laminated chipboard, the rear is made from 8 mm laminated chipboard. We are fully aware of the need for safety and simplicity of attaching the cabinet to the wall, therefore the top cabinet is delivered with high-quality fixtures with regulation.

Countertops

Our offer consists of the straight as well as corner countertops. Delivered together with cover bars, protecting against leakage of water behind countertops. Ordered separately, as well as socles.
Do you need a stainless-steel sink, mixer faucets or metal supports for your microwave oven to add to the countertop? These as well as the whole range of kitchen accessories can be found in our range. Of course, all items can be ordered separately.

Canteen tables

Comfortable dining is provided for by our kitchen tables, which are available in two sizes – 80×80 cm or 120×80 cm.

Installation

In order to safely deliver your order, we supply kitchens dismantled into several securely packed boxes. Each package also includes clear instructions for quick and easy installation.

EU certificates

5-year warranty

easy installation

HOBIS KITCHENS **cherry – cherry**

Office kitchens

Elegant design and decorative materials consistent with HOBIS office furniture allow you to place a kitchen right in your office or other representative premises of your company. It is an ideal way to quickly provide refreshments for your guests. Capacity of shelves and drawers provides storage for a sufficient amount of glasses or cups. On the worktop you can put coffee makers, cold drinks are provided by built-in refrigerators. Then, just pull the roller blind and it is done!

The range of equipment has four options:

1. KU 2 0 – without equipment
2. KU 2 1 – with sinks and faucets
3. KU 2 2 – with refrigerators
4. KU 2 3 – with refrigerators, sinks and faucets





5 GORENJE refrigerators with a capacity of 88 l

If you think that plywood chairs are boring, then Dora, Nela, Rita and Tina will win you over with their original cross-sectional designs and chrome or aluminium frames.

- 1 For dining rooms, conference rooms and offices
- 2 With seats and backrests of varnished beech plywood
- 3 Plastic glides to protect flooring
- 4 Finish of frames of chrome or aluminium



DORA NELA RITA TINA

PLYWOOD CHAIRS

KU 2 0 L **90 × 175 (+5) × 60**
Kitchen without accessories-left

KU 2 0 P **90 × 175 (+5) × 60**
Kitchen without accessories-right

KU 2 1 L **90 × 175 (+5) × 60**
Kitchen with sink and tap-left

KU 2 1 P **90 × 175 (+5) × 60**
Kitchen with sink and tap-right

KU 2 2 L **90 × 175 (+5) × 60**
Kitchen with fridge-left

KU 2 2 P **90 × 175 (+5) × 60**
Kitchen with fridge-right

KU 2 3 L **90 × 175 (+5) × 60**
Kitchen with sink, tap and fridge-left

KU 2 3 P **90 × 175 (+5) × 60**
Kitchen with sink, tap and fridge-right

SKU **88.4 × 20 × 52**
Base to reach height of 195cm

KUDD 60
60 × 72.4 (+10) × 54

KUDD 60 D
60 × 72.4 (+10) × 54
Cabinet under the sink

KUDD 60 Z1
60 × 72.4 (+10) × 54

KUDD 30 Z5
30 × 72.4 (+10) × 54

KUDD 30 L
30 × 72.4 (+10) × 54

KUDD 30 P
30 × 72.4 (+10) × 54

KUDD 90 CH L
60 × 72.4 (+10) × 56
Fridge (volume 143 l)

KUDD 90 CH P
60 × 72.4 (+10) × 56
Fridge (volume 143 l)

KUDD 90 RL
90 (× 90) × 72.4 (+10) × 54

KUDD 90 RP
90 (× 90) × 72.4 (+10) × 54

KUH 60
60 × 60 × 33

KUHD 60
60 × 60 × 35

KUHD 60 D
60 × 37 × 35
Cabinet for the digestor

KUH 30
30 × 60 × 33

KUHD 30 L
30 × 60 × 35

KUHD 30 P
30 × 60 × 35

KUH 60 R
60 (x 60) × 60 × 33

An overwiev of furniture colour combinations can be found on the introductory page

COUNTERTOP UPRIGHT

DEP 120 **120 × 2.8 × 60**
DEP 150 **150 × 2.8 × 60**
DEP 180 **180 × 2.8 × 60**
DEP 210 **210 × 2.8 × 60**
DEP 240 **240 × 2.8 × 60**
DEP 270 **270 × 2.8 × 60**
DEP 300 **300 × 2.8 × 60**
DEP 330 **330 × 2.8 × 60**
DEP 360 **360 × 2.8 × 60**
DEP 390 **390 × 2.8 × 60**

COUNTERTOP LEFT

DEP 120 L **120 × 2.8 × 60**
DEP 150 L **150 × 2.8 × 60**
DEP 180 L **180 × 2.8 × 60**
DEP 210 L **210 × 2.8 × 60**
DEP 240 L **240 × 2.8 × 60**
DEP 270 L **270 × 2.8 × 60**
DEP 300 L **300 × 2.8 × 60**
DEP 330 L **330 × 2.8 × 60**
DEP 360 L **360 × 2.8 × 60**
DEP 390 L **390 × 2.8 × 60**

COUNTERTOP RIGHT

DEP 60 P **60 × 2.8 × 60**
DEP 90 P **90 × 2.8 × 60**
DEP 120 P **120 × 2.8 × 60**
DEP 150 P **150 × 2.8 × 60**
DEP 180 P **180 × 2.8 × 60**
DEP 210 P **210 × 2.8 × 60**
DEP 240 P **240 × 2.8 × 60**
DEP 270 P **270 × 2.8 × 60**
DEP 300 P **300 × 2.8 × 60**
DEP 330 P **330 × 2.8 × 60**

Particular bases

SKUD 120 **119 × 9.5 × 1.8**
SKUD 150 **149 × 9.5 × 1.8**
SKUD 180 **179 × 9.5 × 1.8**
SKUD 210 **209 × 9.5 × 1.8**
SKUD 240 **239 × 9.5 × 1.8**
SKUD 270 **269 × 9.5 × 1.8**

Double basis

SKUD 300 **149 × 9.5 × 1.8 + 150 × 9.5 × 1.8**
SKUD 330 **149 × 9.5 × 1.8 + 180 × 9.5 × 1.8**
SKUD 360 **179 × 9.5 × 1.8 + 180 × 9.5 × 1.8**
SKUD 390 **209 × 9.5 × 1.8 + 180 × 9.5 × 1.8**
SKUD B (side base) **45 × 9.5 × 1.8**

FACING BOARD

DEZ 120 **120 × 1.8 × 50**
DEZ 150 **150 × 1.8 × 50**
DEZ 180 **180 × 1.8 × 50**
DEZ 210 **210 × 1.8 × 50**
DEZ 240 **240 × 1.8 × 50**
DEZ 270 **270 × 1.8 × 50**

DMT **depth 30–45**
Metal bracket for microwave oven

PABA
Tap

DRE L
Only for KUDD 60 D

DRE P
Only for KUDD 60 D

DRE O L
Only for KUDD 60 D

DRE O P
Only for KUDD 60 D

DRE
Only for KUDD 60 D

DRE O
Only for KUDD 60 D

NX 400 800 **ø 6 × 10**
Small metal legs

NX 400 A **ø 6 × 10**
Small metal legs

HJ 800 **80 × 75 × 80**
Canteen table

HJ 1200 **120 × 75 × 80**
Canteen table

Dimensions in order: **Width** × **Height** × **Depth (cm)**



CUSTOMIZED PRODUCTION

We have a wide range of catalogue components, but sometimes the dimension that you need for your room cannot be found in our catalogue.

Or do you want to implement your own idea or an original concept by your architect or designer?

You want to be sure that the concept that you have designed will be processed by experienced engineers who prepare the optimal technical solution.

You want to be guaranteed that this product will be processed on high-end CNC machinery, under the supervision of experienced craftsmen who guarantee the same quality as for mass production, including the length of warranty.

Then you can use our custom production division with ISO certificates for the development and production of furniture that your ideas convert into technical drawings, and then the final product is constructed.



Certificates issued by independent state laboratories guarantee the meeting of demanding requirements for the top quality of final products.

1. We use non-toxic materials from manufacturers in the EU
2. We manufacture the furniture in the Czech Republic
3. Our employees are experts with high qualifications
4. Precise manufacturing is carried out on the latest CNC machines
5. Our sophisticated production control system uses the latest software
6. We respect our environment and promote responsibility for it

Certificate of mechanical safety and ergonomic requirements

Certificate of hygiene

Certificate of maximum load capacity of shelves

Certificate of central locking of containers

Environmentally friendly product

Czech quality

ISO 9001

ISO 14001

HOBIS office furniture is an original trademark. When buying it due to the protective features you can see that you have bought an original, covered by the above certificates.

Robust mechanics with increased maximum load and rigidity, simple yet complex control, delicate mesh, and original futuristic design. Chairs Sirius Q24 are designed for the most demanding office facilities.

- 1 The chairs are recommended for 24-hour operation
- 2 Certificate of the State laboratory on compliance with ČSN EN 1335–1:2000 and ČSN EN 1335–2:2009
- 3 Stability and ergonomics ensured by a synchronous mechanism allowing changes of the seat and backrest positions at the same time
- 4 Seats and backrests can be secured in three positions
- 5 Comfortable height, depth and tilt adjusting with one lever
- 6 Seat tilting can be adjusted separately
- 7 Seat height and depth can be adjusted to your body size and thus the correct supporting of legs is ensured
- 8 Setting of counterbalance forces according to your weight secures the backrest against unexpected swinging
- 9 By adjusting the optimum height of backrest you can set the correct position of your back
- 10 Flexible ergonomic lumbar support promotes a healthy way of sitting
- 11 Self-supporting mesh ensures all-day ventilation of your back
- 12 For better comfort you can adjust the height and angle of the headrest
- 13 You can adjust the height, pitch, depth and angle of armrests
- 14 Wheels with softened surfaces allow use on hard floors and carpets
- 15 Special maximum load of the chair 150 kg
- 16 3 year warranty
- Materials: MESH black

SIRIUS Q24





MESH black

Do you consider top quality, simple yet complex positioning of chairs as standard? Do you want chairs of original design construction? Sirius chairs are a guarantee of perfect quality, and thanks to their futuristic design they become central components of your offices.

1. Certificate of the State laboratory on compliance with ČSN EN 1335–1:2000 and ČSN EN 1335–2:2009
2. Stability and ergonomics ensured by a synchronous mechanism allowing changes of the seat and backrest positions at the same time
3. Seats and backrests can be secured in three positions
4. Comfortable height, depth and tilt adjusting with one lever
5. Seat height and depth can be adjusted to your body size and thus the correct supporting of legs is ensured
6. Setting of counterbalance forces according to your weight secures the backrest against unexpected swinging
7. By adjusting the optimum height of backrest you can set the correct position of your back
8. Flexible ergonomic lumbar support promotes a healthy way of sitting
9. Self-supporting mesh ensures all-day ventilation of your back
10. For better comfort you can adjust the height and angle of the headrest
11. You can adjust the height, depth and angle of armrests
12. Wheels with softened surface allow use on hard floors and carpets
13. Maximum load of the chair 130 kg
14. 3 year warranty
- Materials: MESH black, MESH honey, black textile (seat only)



MESH copper


black textile

Pure lines and presentable appearance in connection with materials of high quality are the main advantages of VAPOR office chairs. Thanks to these features you can choose a chair that perfectly suits your interior.

- 1 Certificate of the State laboratory on compliance with ČSN EN 1335–1:2000 and ČSN EN 1335–2:2009
- 2 Stability and ergonomics ensured by a synchronous mechanism allowing changes of the seat and backrest positions at the same time
- 3 Seats and backrests can be secured in three positions
- 4 Seat height and depth can be adjusted to your body size and thus the correct supporting of legs is ensured
- 5 Comfortable setting of counterbalance forces according to your weight secures the backrest against unexpected swinging
- 6 By adjusting the optimum height of backrest you can set the correct position of your back
- 7 Ergonomic lumbar support promotes a healthy way of sitting
- 8 For better comfort you can adjust the height and angle of the headrest
- 9 You can adjust the height, depth and angle of armrests
- 10 Wheels with softened surfaces allow use on hard floors and carpets
- 11 Maximum load of the chair 130 kg
- 12 3 year warranty
- Materials: A24335, A24307, A24326, A24337, Leather L001, Leather L002




A24335

A24307

A24326

A24337

Comfortable chairs for meetings with all the advantages of Vapor office chairs. Together they create a representative appearance of your office.

- 1 Certificate of the State laboratory on compliance with ČSN EN 13761:2003 and ČSN EN 1022:2006
- 2 Robust welded metal structure
- 3 Chromed frame adds an elegant look
- 4 Ergonomic lumbar support supports a healthy way of sitting
- 5 Maximum load of the chair 130 kg
- 6 3 year warranty
- Materials: Leather L001, Leather L002



VAPOR MEETING

Leather L001

Leather L002

Office chair combining dynamic design, great execution and comfort seating, supporting healthy and comfortable seating.

- 1 Certificate of the State laboratory on compliance with ČSN EN 1335–1:2000 a ČSN EN 1335–2:2009
- 2 Stability and ergonomics ensured by a synchronous mechanism allowing changes of seat and backrest positions at the same time
- 3 Seat height and depth can be adjusted to your body size and thus the correct support of legs is ensured
- 4 Seat height and depth can be adjusted to your body size and thus the correct support of legs is ensured
- 5 Tilt of the seat can be adjusted separately
- 6 Comfortable setting of counterbalance forces according to your weight secures the backrest against unexpected swinging
- 7 Ergonomic height-adjustable lumbar support promotes a healthy way of sitting
- 8 For better comfort you can adjust the height and angle of the headrest
- 9 The upholstered back of the chair with self-supporting mesh provides all-day ventilation of your back
- 10 You can adjust the height, depth and angle of armrests
- 11 Wheels with softened surfaces allow use on hard floors and carpets
- 12 Maximum load of the chair 120 kg
- 13 3 year warranty
- Materials: BI 201, BI 202, BI 203, BI 204, BI 205

Chairs can be ordered with/without headrests




BI 201

BI 202

Design and solid steel frames of sled style are the main advantages of the chairs.

1. Certificate of the State laboratory on compliance with ČSN EN 13761:2003 and ČSN EN 1022:2006
2. Black frame
3. Robust welded metal structure
4. Self-supporting mesh ensures all-day ventilation of your back
5. Maximum load of the chair 120 kg
6. 3 year warranty
- Materials: BI 201, BI 202, BI 203, BI 204, BI 205



MERENS MEETING


BI 203


BI 204


BI 205

Elegant Saturn chairs are one of the most popular chairs in the category as they represent the perfect connection of functionality, timeless design, and reasonable price. Pleasant fabric upholstery seats and permeable.

- 1 Certificate of the State laboratory on compliance with ČSN EN 1335–1:2000 and ČSN EN 1335–2:2009
- 2 Stability and ergonomics ensured by a synchronous mechanism allowing changes of the seat and backrest positions at the same time
- 3 Seats and backrests can be secured in four positions
- 4 Seat height and depth can be adjusted to your body size and thus correct supporting of legs is ensured
- 5 Comfortable setting of counterbalance forces according to your weight secures the backrest against unexpected swinging
- 6 Ergonomic height-adjustable lumbar support promotes a healthy way of sitting
- 7 For better comfort you can adjust the height and angle of the headrest
- 8 You can adjust the height of armrests
- 9 Wheels with softened surfaces allow use on hard floors and carpets
- 10 Maximum load of the chair 130 kg
- 11 3 year warranty
- Materials: NET black, NET blue, NET wine, NET orange



NET black


NET blue

Very elegant, subtle look and solid welded steel structure are the main advantages of Triton meeting chairs. Their aluminium colour frame and types of upholstery fabrics mean they go with Saturn office chairs.

- 1 Certificate of the State laboratory on compliance with ČSN EN 13761:2003 and ČSN EN 1022:2006
- 2 Self-supporting mesh ensures all-day ventilation of your back
- 3 Combination of mesh and coloured fabrics
- 4 The chairs are stackable, so you can save a lot of space
- 5 Maximum load of the chair 120 kg
- 6 3 year warranty
- Materials: NET black, NET blue, NET wine, NET orange



TRITON

NET wine


NET orange

Dike office chairs with anatomically shaped seats and permeable backrest are perfect for sitting at a computer all day and make your work more pleasant.

- 1 Certificate of the State laboratory on compliance with ČSN EN 1335–1:2000 and ČSN EN 1335–2:2009
- 2 Stability and ergonomics ensured by a synchronous mechanism allowing changes of the seat and backrest positions at the same time
- 3 Seats and backrests can be secured in five positions
- 4 Seat height and depth can be adjusted to your body size and thus correct supporting of legs is ensured
- 5 Comfortable setting of counterbalance forces according to your weight secures the backrest against unexpected swinging
- 6 Ergonomic height-adjustable lumbar support promotes a healthy way of sitting
- 7 Self-supporting mesh ensures all-day ventilation of your back
- 8 For better comfort you can adjust the height and angle of the headrest
- 9 You can adjust the height of armrests
- 10 Wheels with softened surfaces allow use on hard floors and carpets
- 11 Maximum load of the chair 120 kg
- 12 3 year warranty
- Materials: DK 10, DK 13, DK 15, DK 90

Chairs can be ordered with/without headrests



DK 10

DK 13

Very elegant, subtle look and solid welded steel structure are the main advantages of Triton meeting chairs. Thanks to the same colours of materials, the Triton Black and Triton Gray conference chairs go perfectly as chairs for meetings with Dike office chairs.

1. Certificate of the State laboratory on compliance with ČSN EN 13761:2003 and ČSN EN 1022:2006
2. Self-supporting mesh ensures all-day ventilation of your back
3. Black or aluminium grey frames
4. Mesh and upholstery fabrics in the same colours
5. The chairs are stackable, so you can save a lot of space
6. Maximum load of the chair 120 kg
7. 3 year warranty
- Materials: DK 10, DK 13, DK 15, DK 90



DK 15

DK 90

Simply elegant design and comfortable seating – these are the main advantages of Calypso GRAND chairs Higher backrests with adjustable headrests ensure high quality seating also for taller users.

- 1 Certificate of the State laboratory on compliance with ČSN EN 1335–1:2000 and ČSN EN 1335–2:2009
- 2 Stability and ergonomics is ensured by a synchronous mechanism allowing changes of the seat and backrest positions at the same time
- 3 Seats and backrests can be secured in any position
- 4 Cold foam inside seats ensures their long life and keeps their anatomical form
- 5 Seat height and depth can be adjusted to your body size and thus correct supporting of legs is ensured
- 6 Setting of counterbalance forces according to your weight secures the backrest against unexpected swinging
- 7 Self-supporting mesh ensures all-day ventilation of your back
- 8 Taller users will appreciate the extra height of the anatomically shaped backrest
- 9 For better comfort you can adjust the height and angle of the headrest
- 10 You can adjust the height of armrests
- 11 Wheels with softened surfaces allow use on hard floors and carpets
- 12 Maximum load of the chair 120 kg
- 13 3 year warranty
- Materials: 14A11, 13A11, 1511, 12A11, 1211, 1111, 1611 – in combination with black seats
- Materials: 14A11, 12A11, 1211, 1111 – seats and backrests of the same colour

CALYPSO GRAND

Chairs can be ordered with/without headrests



14A11

13A11

1511


12A11

Very popular office chairs compared with Calypso GRAND and Calypso XL have lower backrests and no headrests. That makes them a financially interesting alternative for high quality seating at a very reasonable price.

1. Certificate of the State laboratory on compliance with ČSN EN 1335–1:2000 and ČSN EN 1335–2:2009
2. Stability and ergonomics ensured by a synchronous mechanism allowing changes of the seat and backrest positions at the same time
3. Seats and backrests can be secured in any position
4. Cold foam inside seats ensures their long life and keeps their anatomical form
5. Seat height and depth can be adjusted to your body size and thus correct supporting of legs is ensured
6. Setting of counterbalance forces according to your weight secures the backrest against unexpected swinging
7. Self-supporting mesh ensures all-day ventilation of your back
8. Users will appreciate their anatomically shaped backrests
9. You can adjust the height of armrests
10. Wheels with softened surface allow use on hard floors and carpets
11. Maximum load of the chair 120 kg
12. 3 year warranty

- Materials: 14A11, 13A11, 1511, 12A11, 1211, 1111, 1611 – in combination with black seats
- Materials: 14A11, 12A11, 1211, 1111 – seat and backrest of the same colour



1211

1111

1611

Interesting chairs of the Calypso series with higher backrests ensure high quality seating also for taller users. Headrests in this model are firmly fixed.

- 1 Certificate of the State laboratory on compliance with ČSN EN 1335–1:2000 and ČSN EN 1335–2:2009
- 2 Stability and ergonomics ensured by a synchronous mechanism allowing changes of the seat and backrest positions at the same time
- 3 Seats and backrests can be secured in any position
- 4 Cold foam inside seats ensures their long life and keeps their anatomical form
- 5 Seat height and depth can be adjusted to your body size and thus correct supporting of legs is ensured
- 6 Setting of counterbalance forces according to your weight secures the backrest against unexpected swinging
- 7 Self-supporting mesh ensures all-day ventilation of your back
- 8 Users will appreciate their higher anatomically shaped backrests
- 9 You can adjust the height of armrests
- 10 Wheels with softened surfaces allow use on hard floors and carpets
- 11 Maximum load of the chair 120 kg
- 12 3 year warranty
- Materials: 14A11, 13A11, 1511, 12A11, 1211, 1111, 1611

CALYPSO XL



14A11

13A11

1511


12A11

Robust metal structure and very comfortable seating. Calypso MEETING chairs are the ideal solution for long meetings and trainings.

- 1 Certificate of the State laboratory on compliance with ČSN EN 13761:2003 and ČSN EN 1022:2006
- 2 Aluminium grey frames
- 3 Robust welded metal structure
- 4 Self-supporting mesh ensures all-day ventilation of your back
- 5 Special maximum load of the chair 130 kg
- 6 3 year warranty
- Materials: 14A11, 13A11, 1511, 12A11, 1211, 1111, 1611



CALYPSO MEETING


1211

1111

1611

The main advantages of Metis chairs are their novel design and practicality. Thanks to fold-up seats and horizontal stacking you can save a lot of space in your meeting room.

1. Casters ensure easy handling
2. Horizontal stacking can save a lot of space
3. Self-supporting mesh ensures ventilation of your back
4. Maximum load of the chair 120 kg
5. 3 year warranty
- Materials: DK 10, DK 13, DK 15, DK 90



Taurus chairs for meeting rooms have a simple but solid frame of black colour, and thanks to their low price are one of the most popular in their category.

- 1 Stackable conference chairs
- 2 Black frames
- 3 Maximum load of the chair 120 kg
- 4 2 year warranty
- Materials: DORA D2, D3, D4, D5



TAURUS

Basic variant of the 1380 SYN FLUTE chairs is a solution ensuring high quality seating at low price.

- 1 Synchronous mechanism with 5 positions
- 2 Ergonomically shaped backrests
- 3 Adjustable height
- 4 Adjustable counterbalance forces according to body weight
- 5 Adjustable height of backrests step by step
- 6 Chairs include fixed armrests BR 29
- 7 Optional wheels for hard floors
- 8 Maximum load of the chair 120 kg
- 9 3 year warranty
- Materials: DORA D2, D3, D4, D5

1380 SYN FLUTE + BR 29

Panther Asyn chairs are reasonable price solutions thank to which you can get sufficiently comfortable seating, independent adjustment of seat height and angle, and ergonomically shaped backrests.

- 1 Asynchronous mechanism with independent adjustment of seat and backrest angles
- 2 Ergonomically shaped backrests
- 3 Adjustable height
- 4 Adjustable height of backrests
- 5 Optional fixed armrests BR 29
- 6 Optional wheels for hard floors
- 7 Maximum load of the chair 100 kg
- 8 2 year warranty
- Materials: DORA D2, D3, D4, D5

BR 29

PANTHER ASYN





DORA D2

DORA D3

DORA D4

DORA D5

Chair pads are unobtrusive but very effective protection against damaging your flooring.

1. They are suitable for all types of flooring – for floating floors as well as carpets
2. They protect flooring against damage, scratches and dirt
3. They are made of PET – a transparent, highly durable material
4. The bottom side of pads includes a non-slip layer, which prevents movement of pads
5. It is very resistant to pressure from all types of wheels
6. Margins have safe rounded edges – 2D milling
7. Pads allow easy movement of office chairs
8. Health certified
9. dimensions: 98 × 120, thickness: 2 mm



ACCESSORIES

OFFICE

Using pads for floating floors

Using pads for carpets

VAULT electrification panels

Turning of socket units *with an electric motor with magnetic coupling*

All panels are certificated by the Electrotechnical Testing Institute

VAULT provides an elegant solution for using electric, data and AV connection points just where you need them. So it is ideal to be built into conference and working tables, and offers use in offices, hotel rooms, training rooms or kitchens.

The sockets are ready to use within just a few seconds by pressing a button.
Rotating of the entire socket unit is arranged by means of an electrical motor with magnetic coupling.
If the sockets are not used, you can press the button again and turn the sockets under the table top and have a "clean slate".
VAULT is equipped with a photocell that prevents rotation and closing of the unit if a cable is plugged in any socket. This way cables are protected from damage.

The range is complemented with the economic variant of connecting panels VAULT with mechanical opening. After the mechanism is pressed the panel is tilted to its operating position. To close, the panel is pressed to the original position. The models differ in structure and types of equipment.



ELECTRICAL ROTARY PANEL

BTCZ 002

Dimensions: 374 × 110 × 103 mm
Equipment: 3× electric plug, 3× data

BTCZ 003

Dimensions: 374 × 110 × 103 mm
Equipment: 3× electric plug, 2× data, VGA

BTCZ 004

Dimensions: 374 × 110 × 103 mm
Equipment: 3× electric plug, 1× data, VGA, audio, microphone

MECHANICALLY TIPPING PANEL

Mechanically tipping panel of the BTDZ series is a financially reasonable alternative to plug systems VAULT. With bare pressing the mechanism, you can tilt the panel over the desk top. Thanks to the built-in bristle openings, the panel can be closed also with connected cables.

Bristle opening for cables

ELECTRICAL ROTARY PANEL

BTCZ 009

Dimensions: 268 × 110 × 103 mm
Equipment: 2× electric plug,
1× data

BTCZ 010

Dimensions: 374 × 110 × 103 mm
Equipment: 4× electric plug,
switch

BTCZ 011

Dimensions: 268 × 110 × 103 mm
Equipment: 2× electric plug, switch

BTCZ 012

Dimensions: 374 × 110 × 103 mm
Equipment: 2× electric plug, 2× USB,
2× data, 1× VGA, audio, video

BTCZ 013

Dimensions: 374 × 110 × 103 mm
Equipment: 3× electric plug, 2× USB,
1× data, VGA

BTCZ 043

Dimensions: 374 × 110 × 103 mm
Equipment: 2× electric plug, 2× data,
1× USB, HDMI, VGA, video,
2× stereo audio

MECHANICALLY TIPPING PANEL

BTDZ 031

Dimensions: 321 × 120 × 54 mm
Equipment: 4× electric plug

BTDZ 041

Dimensions: 295 × 120 × 54 mm
Equipment: 2× electric plug,
2× data, 2× USB

BTDZ 012

Dimensions: 268 × 120 × 54 mm
Equipment: 2× electric plug,
2× data

Hangers are indispensable in each office. In addition to timeless design hangers, OFFICE PRO offer good stability provided by the heavy solid base of genuine marble.

The heavy marble base ensures stability of the hanger

BEECH

CHERRY

CALVADOS

Magnetic boards TSA

Do you need to keep an eye on various messages and comments? Magnetic boards TSA are practical assistants with a nice design. You can write on them, draw, or just enter notes.

1. Magnetic surface of painted execution burn at 250 °C is very resistant and durable
2. Aluminium frame with silvery galvanic coating is very impressive
3. Plastic edges cover screws for wall mounting
4. The back of the board is equipped with a galvanized sheet for increased robustness of the structure
5. 3 magnets, one marker, a pen tray and mounting kit are included



Dimension table:

TSA96	90 × 60 cm
TSA129	120 × 90 cm
TSA1510	150 × 100 cm
TSA1890	180 × 90 cm
TSA1218	180 × 120cm

Dimensions are given in the following order
width × **height**

Door tags TZW

Very simply, quickly and according to your liking you can make yourself a professional orientation system in the internal premises of your office, school, authority, hospital,...

1. According to the dimension table design your own label
2. Print out and adjust to the required size
3. Fold out trims, remove the front covering foil and insert your label
4. The covering foil is very durable and absorbs light glares, ensuring excellent readability of labels
5. You will appreciate its easy mounting on walls or doors
6. The mounting set is included

Dimension table:

TZW5014	148 × 50 mm
TZW1029	297 × 105 mm
TZWA4	297 × 210 mm
TZWA6	148 × 105 mm
TZWA5	210 × 148 mm
TZW14	148 × 148 mm

Dimensions are given in the following order
width × **height**

FOLDING TABLES



SKL 1400
140 × 74 × 80

SKL 1600
160 × 74 × 80

Folding tables

Do you need to equip your business premises for lectures, training, banquets or conferences? And when the event is over to clear the premises? Folding tables are ideal.

1. The table can be quickly and easily put into working position, and just as easily folded back
2. When storing you can save space, because the tables can be stacked
3. The range consists of modules of 140 × 80 cm and 160 × 80 cm, height of the tables is 74 cm
4. Folding metal bases are in chrome execution
5. Table tops are made from 25 mm thick laminated chipboard, equipped with 2 mm ABS edges
6. Table tops colours: grey, acacia, beech, alder, wild cherry, cherry, calvados, walnut

Lockers

1. 2-compartment metal wardrobes
2. Width of each compartment is 30 cm
3. 1 shelf with a bar underneath with 2 adjustable hooks
4. Doors have ventilation openings and frames for tags
5. Rotary lock for padlock
6. Width 60 × height 180 × depth 50 cm
7. 2 year warranty
8. Colours: body light grey RAL 7035, doors blue RAL 5015 or completely light grey RAL 7035

SS 30-2

Office cabinets

1. Universal metal cabinets for offices, warehouses or shops
2. Robust structure of body
3. Doors with profiled reinforcements for increased security
4. Doors have cylinder locks and three-point bolt mechanisms
5. An informative indicator is placed on the closing mechanism of the cabinet indicating its opening and closing
6. 4 adjustable shelves, each fixed in five points of the cabinet body
7. One shelf for suspension files
8. Maximum load capacity of shelves is about 50 kg at even load arrangement
9. Light grey colour RAL 7035
10. Width 91.4 × height 195 × depth 46.3 cm
11. 2 year warranty

KS 195

LS 150



Benches

1. Universal benches for changing rooms
2. High quality spruce wood without knots
3. Solid metal frame, light grey colour RAL 7035
4. Width 150 × height 43 × depth 36 cm

DESKS 2
CABINETS 42
KITCHENS 56
CHAIRS 64
ACCESSORIES 87

Metal cabinets for suspension files of A4 format

1. Metal cabinets for suspension files of A4 format
2. Central locking of all drawers
3. Maximum load of one drawer is 40 kg
4. Full 100% opening of all drawers
5. Accurate telescopic guidance with ball bearings for easy and quiet operation
6. Equipment to protect against overbearing (you cannot open more than one drawer at once)
7. Obstructions against falling out of drawers
8. Internal dimensions of drawers: width 32.5 × height 24.5 × depth 53 cm
9. Smooth finish with baking paint in grey shade RAL 7035
10. 2 year warranty

RGD 12 E

1. 2-drawer filing cabinet
2. Width 41.6 × height 71 × depth 62 cm

RGD 13 E

1. 3-drawer filing cabinet
2. Width 41.6 × height 101.5 × depth 62 cm

RGD 14 E

1. 4-drawer filing cabinet
2. Width 41.6 × height 132 × depth 62 cm

FILING CABINETS

Equalization boards VDK 1

1. The equalization board with adjustable rectifications can level filing cabinets in the case of uneven floors and facilitate their reliable functioning
2. VDK 2, VDK 3 allows the levelling of two (or three) filing cabinets serially placed

1. 4-drawer filing cabinet, combined
2. Width 41.6 × height 134.5 × depth 64 cm

RGD 14 CE

1. 3-drawer filing cabinet, combined
2. Width 41.6 × height 104 × depth 64 cm

RGD 13 CE

1. 2-drawer filing cabinet, combined
2. Width 41.6 × height 73.5 × depth 64 cm

RGD 12 CE